

Technical Data Sheet

NC TOP COAT CLEAR



PHYSICAL DESCRIPTION

A specifically formulated topcoat based on nitrocellulose and alkyd resins. It is fast drying system having excellent gloss, colour retentive and water resistance properties. The product is suitable for various applications, with excellent finish and U.V. resistance properties. As a topcoat for automobile and furniture applications. The dry film can be over coated with N.C. Top Coat Clear for enhancing the gloss and further protection.

SPECIFICATION

Colour	Clear Liquid
Gloss	Glossy
Dilution	NC Thinner-SP 98
Mixing ratio with hardner	NA
Viscosity in Ford Cup B4	40 +/- 5 seconds
Specific Gravity	1.00 +/- 0.05
Surface Dry	10 Minutes – 15 Minutes
Tack Free	30Minutes – 40 Minutes
Hard Dry	Max 24 Hours
Application	Spray, Brush

PACKING

210 Litre, 20 Litre, 4 Litre, 1 Litre

STORAGE AND HANDLING

Precautions: Highly flammable, all sources of ignition must be eliminated in or near area of use, on burning fumes emitted are toxic. Do not smoke in immediate area. Avoid contact with skin or eyes; wear suitable clothing such as impervious overalls, PVC or neoprene gloves, safety goggles and face

mask. Avoid inhalation of spray mist and vapours – use with adequate ventilation and suitable Personal Protection Equipment (PPE).

Storage: Store away from excessive heat, vapour accumulation, sparks, flames, or a build up of static electricity. Avoid contact with strong oxidisers

HEALTH AND SAFETY

Please observe the precautionary notices displayed on the container. Use under well ventilated conditions. Do not breathe or inhale mist. Avoid skin contact. Spillage on the skin should immediately be removed with suitable cleanser, soap and water. Eyes should be well flushed with water and medical attention sought immediately.

For detailed information on the health and safety hazards and precautions for use of this product, we refer to the Material Safety Data Sheet.

DISCLAIMER

The information in this data sheet is given to the best of our knowledge based on laboratory testing and practical experience. However, as the product is often used under conditions beyond our control, we cannot guarantee anything but the quality of the product itself. We reserve the right to change the given data without notice.

PEARLAC PAINTS

(A Unit of Mereena Group)

Panorama Arcade, Edappally, Cochin-682 024, Kerala, India

E-Mail: pearlac@mereena.com

Web: www.pearlacpaints.com

