

Technical Data Sheet

WOOD PROTECTOR



PHYSICAL DESCRIPTION

Wood protector protects timbers and timber products from insect attack, fungal decay, warping, cracking, weathering, cupping, swelling and grain rising. It's ideal for susceptible timbers used as decking, bearers, joists, framing, joinery, handrails, playgrounds or other high risk areas. Specially formulated for hardwood timbers used outdoors in varying climates. It can be used as preventative or in remedial treatment situations. Metalex wood protector dries clear whilst enhancing the natural look of the timber.

SPECIFICATION

Colour	Transparent Clear Liquid
Gloss	Semi Glossy
Dilution (if required)	NC Thinner-SP 98 / Thinner 12
Mixing ratio with hardner	NA
Viscosity in Ford Cup B4	40
Specific Gravity	0.95 +/- 0.03
Surface Dry	10 Minutes – 15 Minutes
Tack Free	30Minutes – 40 Minutes
Hard Dry	Max 24 Hours
Application	Spray, Brush

PACKING

210 Litre, 20 Litre, 4 Litre, 1 Litre

STORAGE AND HANDLING

Precautions: Highly flammable, all sources of ignition must be eliminated in or near area of use, on burning fumes emitted are toxic. Do not smoke in immediate area. Avoid contact with skin or eyes; wear suitable clothing such as impervious overalls, PVC or neoprene gloves, safety goggles and face

mask. Avoid inhalation of spray mist and vapours – use with adequate ventilation and suitable Personal Protection Equipment (PPE).

Storage: Store away from excessive heat, vapour accumulation, sparks, flames, or a build up of static electricity. Avoid contact with strong oxidisers

HEALTH AND SAFETY

Please observe the precautionary notices displayed on the container. Use under well ventilated conditions. Do not breathe or inhale mist. Avoid skin contact. Spillage on the skin should immediately be removed with suitable cleanser, soap and water. Eyes should be well flushed with water and medical attention sought immediately.

For detailed information on the health and safety hazards and precautions for use of this product, we refer to the Material Safety Data Sheet.

DISCLAIMER

The information in this data sheet is given to the best of our knowledge based on laboratory testing and practical experience. However, as the product is often used under conditions beyond our control, we cannot guarantee anything but the quality of the product itself. We reserve the right to change the given data without notice.

PEARLAC PAINTS

(A Unit of Mereena Group)

Panorama Arcade, Edappally, Cochin-682 024, Kerala, India

E-Mail: pearlac@mereena.com

Web: www.pearlacpaints.com

