

PEARLAC PAINTS

SAFETY DATA SHEET

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCTNAME Cellulose Sanding Sealer

APPLICATION Air drying paint/lacquer product for interior use

2 HAZARDS IDENTIFICATION

Highly flammable. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. Irritating to eyes.

PHYSICAL AND CHEMICAL HAZARDS

The product is highly flammable, and explosive vapours / air mixtures may be formed even at normal room temperatures.

HUMAN HEALTH

In high concentrations, vapours and spray mists are narcotic and may cause headache, fatigue, dizziness and nausea.

4 FIRST-AID MEASURES

GENERAL INFORMATION

Get medical attention. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

INHALATION

Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. Keep the affected person warm and at rest. Get prompt medical attention.

INGESTION

Immediately rinse mouth and provide fresh air. DO NOT induce vomiting. Get medical attention immediately. SKIN CONTACT

Wash skin with soap and water. Get medical attention if any discomfort continues.

INGESTION

Immediately rinse mouth and provide fresh air. DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT

Wash skin with soap and water. Get medical attention if any discomfort continues.

EYE CONTACT

Immediately rinse with water. Continue to rinse for at least 15 minutes. Make sure to remove any contact lenses from the

5 FIRE-FIGHTING MEASURES

eyes before rinsing. Get medical attention promptly if symptoms occur after washing.

EXTINGUISHING MEDIA

Foam, carbon dioxide or dry powder.

SPECIAL FIRE FIGHTING PROCEDURES

Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE & EXPLOSION HAZARDS

Cool containers exposed to flames with water until well after the fire is out. Dike and collect extinguishing water.

SPECIFIC HAZARDS

Fire or high temperatures create: Carbon monoxide (CO). Carbon dioxide (CO2).

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Ensure suitable personal protection (including respiratory protection) during removal of spillages in a confined area.

ENVIRONMENTAL PRECAUTIONS

Avoid discharge into drains. The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Use only in well-ventilated areas. The product contains organic solvents which will evaporate easily from all surfaces. Take precautionary measures against static discharges. Ground container and transfer equipment to eliminate static electric sparks. Anti-static boots. Keep away from sources of ignition - No smoking. Do not eat, drink or smoke when using the product.

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from sources of ignition

8 PERSONAL PROTECTION

PROTECTIVE EQUIPMENT





RESPIRATORY EQUIPMENT

Avoid inhalation of vapours. In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment

HAND PROTECTION

Use barrier creams to prevent skin contact. For prolonged or repeated skin contact use suitable protective gloves.

EYE PROTECTION

Avoid contact with eyes. Wear approved chemical safety goggles where eye exposure is reasonably probable.

HYGIENE MEASURES

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

SKIN PROTECTION

Wear apron or protective clothing in case of splashes.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Viscous liquid

SOLUBILITY Insoluble in water

RELATIVE DENSITY >1 VAPOUR PRESSURE <110 kPa

FLASHPOINT(°C) <=21°C

10 STABILITY AND REACTIVITY

STABILITY

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition.

11 TOXICOLOGICAL INFORMATION

INHALATION

Vapours may cause drowsiness and dizziness.

INGESTION

Irritating. May cause nausea, stomach pain and vomiting.

SKIN CONTACT

Repeated exposure may cause skin dryness or cracking.

EYE CONTACT

Irritating to eyes.

HEALTH WARNINGS

In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

TARGET ORGANS

Mucous membranes. Central nervous system. Respiratory system, lungs. Kidneys. Liver.

MEDICAL SYMPTOMS

Narcotic effect

12 ECOLOGICAL INFORMATION

ECOTOXICITY

There are no data on the ecotoxicity of this product. Do not allow to enter drains, sewers or watercourses.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Do not discharge into drains, water courses or onto the ground.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Make sure containers are empty before discarding .Do not allow runoff to sewer, waterway or ground.

15 REGULATORY INFORMATION

LABELLING





Irritant

Highly Flammable

RISK PHRASES

Highly flammable.

Irritating to eyes.

Repeated exposure may cause skin dryness or cracking vapours may cause drowsiness and dizziness.

SAFETY PHRASES

Keep out of the reach of children

Keep away from sources of ignition - No smoking.

Avoid contact with skin and eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, seek medical advice immediately and show this container or

Use only in well-ventilated areas.

Dispose of this material and its container to hazardous or special waste collection point.

16 OTHER INFORMATION

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or In any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated.

However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use